## BIG

Design by Lievore Altherr Molina.



Reference

0531.

Application

Ceiling Lamps

Installation type

Surface

## Description

Accessible ceiling light for indoor use, designed by Lievore, Altherr, Molina. Direct, diffuse and uniform light distribution. Chrome or matt white lacquer body and white opal methacrylate diffuser. Its large size makes it ideal for lighting large spaces from a single point.

Diffuser

Methacrylate diffuser

Materials

Shade: Aluminum Diffuser: Methacrylate Ring: Steel


Finish



0531-01 Chrome (Metallic finish)

0531-93 White (RAL 9010)

Sketch



**Electrical characteristics** 

2 x 2G11 230V 36W AND

2 x 2G11 230V 24W

Total 120.0 W







**Fixture:** 5286 lm 44 lm/W Driver included: 230V 50Hz

Electronic dimming DALI Push

**Technical characteristics** 

- Dimmable electronic ballast.
- Easy-to-install and replace bulb system

**Physical characteristics** 

1 Box / 0.34 x 1.14 x 1.14 m. / Vol. 0.4327 m<sup>3</sup> / Gross weight 15.2 kg. / Net weight 13.7 kg.

Installation and assembly

Please, see the installation manual

Light distribution

## **General lighting**

Lamp for general lighting that equally distributes the light in all directions.




Photometric data

Efficiency: 45.57% Isolux: Floor Coordinate system : CG Light position : X=0.00m Y=0.00m Z=3.00m Total flux: 11600.00 lm

Maximum value : 154.53 cd/klm Light position: C=0.00 G=0.00

Symmetry on the planes : Double symmetrical



Certificates







