BIG

Design by Lievore Altherr Molina.



Reference

0540.

Application

Ceiling Lamps

Installation type

Built-in

Description

Recessed ceiling light for indoor use, designed by Lievore, Altherr, Molina. Direct, diffuse and uniform light distribution. Chrome or matt white lacquer body and white opal methacrylate diffuser. Its large size makes it ideal for lighting large spaces from a single point. Its design enables it to fit perfectly into its setting, simulating natural light.

Diffuser

Methacrylate diffuser

Materials

Diffuser: Methacrylate Ring: Steel Body: Aluminum

Finish



0540-01 Chrome (Metallic finish)



0540-93 White (RAL 9010)

Sketch



Electrical characteristics

2 x G5 230V 24W (T5)

AND

2 x G5 230V 39W (T5)

AND

2 x G5 230V 54W (T5)

Total 234.0 W







Fixture: 9750 lm 42 lm/W Driver included: 230V 50Hz

Electronic dimming DALI Push

Technical characteristics

- DALI dimmable electronic ballast

Physical characteristics

1 Box / $0.38 \times 1.37 \times 1.37 \text{ m.}$ / Vol. 0.6925 m^3 / Gross weight 23.9 kg. / Net weight 21.5 kg.

Installation and assembly

Please, see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data


Efficiency: 52.42%

Coordinate system : CG

Total flux : 18600.00 lm

Maximum value : 179.08 cd/klm

Light position: C=0.00 G=0.00



Isolux: Floor

Light position :

X=0.00m Y=0.00m Z=3.00m

Certificates









